



NMTR.E215312 Power Circuit and Motor-mounted Apparatus

[Page Bottom](#)

Power Circuit and Motor-mounted Apparatus

[See General Information for Power Circuit and Motor-mounted Apparatus](#)**MEAN WELL ENTERPRISES CO LTD**

E215312

28 WUQUAN 3RD RD WUGU DIST
NEW TAIPEI, 248 TAIWAN

Power supplies, Model(s) DR-120-12, DR-120-24, DR-120-48, DR-45-05, DR-45-12, DR-45-15, DR-45-24, DR-480-24, DR-480-48, DR-480S-24, DR-480S-48, DR-75-12, DR-75-24, DR-75-48, DRP-240-24, DRP-240-48, DRP-480-24, DRP-480-48, DRP-480S-24, DRP-480S-48, DRT-240-24, DRT-240-48, DRT-480-24, DRT-480-36WE, DRT-480-48, DRT-960-24, DRT-960-48, DRT-960P-24, DRT-960P-48, MDR-10-12, MDR-10-15, MDR-10-24, MDR-10-5, MDR-100-12, MDR-100-24, MDR-100-48, MDR-20-12, MDR-20-15, MDR-20-24, MDR-20-5, MDR-40-12, MDR-40-18.30LI, MDR-40-24, MDR-40-48, MDR-40-5, MDR-60-12, MDR-60-24, MDR-60-48, MDR-60-5, SDR-120-12, SDR-120-24, SDR-120-48

Power supply redundancy modules, Model(s) DR-RDN20

Switching power supplies, Model(s) DR-RDN30-36, MDR-20-12, MDR-20-15, MDR-20-24, MDR-20-5, SDR-240-24, SDR-240-48, SDR-480-24, SDR-480-36GV, SDR-480-48, SDR-480P-24, SDR-480P-48, SDR-75-12, SDR-75-24, SDR-75-48, TDR-960-24, TDR-960-36, TDR-960-48, WDR-120-12, WDR-120-24, WDR-120-48, WDR-480-24, WDR-480-48

Switching power supplies, open type, Model(s) EDR-150-24, EDR-120-X and NDR-120-X, where X= 12, 24 or 48

EDR-75-X and NDR-75-X where X= 12, 24 or 48, NDR-240-24, NDR-240-48, NDR-480-24, NDR-480-48, SDR-960-24, SDR-960-48, WDR-240-24, WDR-240-48

x - X= 12, 24 or 48

[Last Updated](#) on 2015-06-23[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2015 UL LLC

When the UL LeafMark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-leading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following form at: "© 2015 UL LLC".



NMTR7.E215312 Power Circuit and Motor-mounted Apparatus Certified for Canada

[Page Bottom](#)

Power Circuit and Motor-mounted Apparatus Certified for Canada

[See General Information for Power Circuit and Motor-mounted Apparatus Certified for Canada](#)**MEAN WELL ENTERPRISES CO LTD**

E215312

28 WUQUAN 3RD RD WUGU DIST
NEW TAIPEI, 248 TAIWAN

Power supplies, Model(s) DR-120-12, DR-120-24, DR-120-48, DR-45-05, DR-45-12, DR-45-15, DR-45-24, DR-480-24, DR-480-48, DR-480S-24, DR-480S-48, DR-75-12, DR-75-24, DR-75-48, DRP-240-24, DRP-240-48, DRP-480-24, DRP-480-48, DRP-480S-24, DRP-480S-48, DRT-240-24, DRT-240-48, DRT-480-24, DRT-480-36WE, DRT-480-48, DRT-960-24, DRT-960-48, DRT-960P-24, DRT-960P-48, MDR-10-12, MDR-10-15, MDR-10-24, MDR-10-5, MDR-100-12, MDR-100-24, MDR-100-48, MDR-20-12, MDR-20-15, MDR-20-24, MDR-20-5, MDR-40-12, MDR-40-18.30L1, MDR-40-24, MDR-40-48, MDR-40-5, MDR-60-12, MDR-60-24, MDR-60-48, MDR-60-5, SDR-120-12, SDR-120-24, SDR-120-48

Power supply redundancy modules, Model(s) DR-RDN20

Switching power supplies, Model(s) DR-RDN30-36, MDR-20-12, MDR-20-15, MDR-20-24, MDR-20-5, SDR-240-24, SDR-240-48, SDR-480-24, SDR-480-36GV, SDR-480-48, SDR-480P-24, SDR-480P-48, SDR-75-12, SDR-75-24, SDR-75-48, WDR-120-12, WDR-120-24, WDR-120-48

Switching power supplies, open type, Model(s) EDR-150-24, EDR-120-X and NDR-120-X, where X= 12, 24 or 48

EDR-75-X and NDR-75-X where X= 12, 24 or 48, NDR-240-24, NDR-240-48, NDR-480-24, NDR-480-48, SDR-960-24, SDR-960-48

x - X= 12, 24 or 48

[Last Updated](#) on 2015-06-23[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2015 UL LLC

When the UL LeafMark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following form at: "© 2015 UL LLC".