


Verstellbare Windeisen

DIN 1814, Körper aus Zinkdruckguss,
gehärtete Backen

Adjustable Tap Wrenches

DIN 1814 Zinc die cast



No.	for Taps	Square mm	Length mm	Weight kg		Art.-No.
0	M 1-8 1/16-1/4	2.0-5.0	130	0,050	5	13000
1	M 1-10 1/16-3/8 G 1/8	2.0-6.3	176	0,095	5	13010
1.1/2	M 1-12 1/16-1/2 G 1/8	2.1-8.0	176	0,120	5	13015
2	M 4-12 5/32-1/2 G 1/8	3.0-9.0	280	0,285	5	13020
3	M 5-20 7/32-3/4 G 1/8-1/2	4.9-12	380	0,660	1	13030
4	M 11-27 7/16-1" G 1/4-3/4	5.5-16	505	1,500	1	13040
5 L	M 13-32 1/2 -1.1/4 G 1/4-1"	7-20	700	1,800	1	13050


Verstellbare Windeisen

DIN 1814, [STAHL-Ausführung](#)

Adjustable Tap Wrenches

DIN 1814, [STEEL](#)



No.	for Taps	Square mm	Length mm	Weight kg		Art.-No.
0	M 1-8 1/16-1/4	2.0-5.0	130	0,050	5	14000
1	M 1-10 1/16-3/8	2.0-6.3	176	0,106	5	14010
1.1/2	M 1-12 1/16-1/2 G 1/8	2.1-8.0	176	0,104	5	14015
2	M 4-12 5/32-1/2 G 1/8	3.0-9.0	280	0,300	5	14020
3	M 5-20 7/32-3/4 G 1/8-1/2	4.9-12	380	0,700	1	14030
4	M 11-27 7/16-1" G 1/4-3/4	5.5-16	500	1,410	1	14040
5	M 13-32 1/2-1.1/4 G 1/4-1"	7-20	700	1,650	1	14050
6	M 18-42 3/4-1.1/2 G 1/2-1.1/4	11-24	1000	3,250	1	14060
7	M 27-52 1.1/8-2" G 3/4-1.3/4	16-32	1250	3,700	1	14070
8	M 27-64 1.1/8"-3" G 3/4-3"	16-40	1250	9,100	1	14080
9	M 39-110 G 1 1/4-4"	22-50	1300	10,260	1	14090